

SEPHA

PRESSOUT

universal

Fully automated, high speed deblistering machine capable of removing product from all types of blister pack material, including alu/alu and child resistant packs.



SEPHA PRESSOUT universal

Sophisticated, gentle cutting technology makes it ideal for recovering high value, fragile tablets and capsules at a rate of up to 50 blister packs per minute.

PressOut Universal is the deblistering machine of choice for the world's largest producers of pharmaceutical blister packs because of its quality, flexibility, speed and unrivalled product recovery rates.



Features & Benefits

- Automated, variable speed control & operation setting
- Capable of removing product from child resistant packs
- Automatic feed
- Can deblister up to 50 blister packs per minute
- Handles all pack formats
- Integrated 316 Stainless Steel product collection bin
- Zero contamination levels
- Fully cGMP
- Sophisticated, easy to operate software control system
- Temperature and humidity monitoring option
- Easy access for fast cleaning and product changeover



Machine Operation

Products are recovered with zero shard contamination or product damage during a rapid 4 stage operation:

Stage 1:
Packs are loaded into a feeding magazine and then auto-fed to the integrated cutting station.

Stage 2:
The lidding material in each pack is precision cut around the base of each pocket using pack specific tooling to ensure zero product damage and contamination.

Stage 3:
The packs are then rotated to specific press out tooling where the product is gently pushed out into the integrated, removable, 316 stainless steel collection bin. Product can now be safely returned to the production line for rework if required.

Stage 4:
Empty blister packs are rotated to a separate removable waste bin for disposal.

Tooling:
Custom tooling is supplied for each different pack size with fast delivery times.

Technical Specification

OPERATION:	Automatic	
BLISTER TYPE:	Push-through, Child resistant, Peelable & Multi-product	
BLISTER LAYOUT:	All	
PACK DIMENSIONS:	Min 82mm (3.2") Min 33mm (1.3")	Max 105mm (4.1") (W) Max 140mm (5.5") (L)
CONSTRUCTION:	Stainless Steel (Grade 316 & 304)	
USER INTERFACE:	5.7" Colour TFT Touchscreen HMI	
UTILITIES:	Electrical: Air Supply:	110/230V AV Single Phase 6 Bar
OPERATING SPEED:	Up to 50 packs per minute	
TOOLING CHANGEOVER:	5 minutes	
MACHINE DIMENSIONS:	Width 965mm (38")	Depth 665mm (26.18") Height 1540mm (60.6")
MACHINE WEIGHT:	230kg (507lbs)	
SHIPPING WEIGHT:	330kg (728lbs)	
WARRANTY:	Supplied with a 12 month warranty. (Service Level Agreements and/or extended warranties are available for additional support).	



TASITEST

**PACKAGING TEST
& INSPECTION**

**Unit 25 Carrowreagh Business Park
Carrowreagh Road, Dundonald
Belfast, BT16 1QQ
United Kingdom**

 +44 2890 48 48 48


 www.tasitest.com

 www.sepha.com

2440 W Corporate Preserve Drive,
Suite 600, Oak Creek,
WI 53154 USA

 +1 4146 713 332

Dongfang Rd 3601,
Harvest Industrial Park
No.7 Building, Room 403,
Pudong, Shanghai, 200125
China

 +86 2158 366 290

Liebigstrasse 5
D-85757 Karlsfeld
Germany

 +49 8131 593 910

Via Rondona, 33
44049 - Vigarano Pieve (FE)
Italy

 +39 0532 715 631

